

Revisions

Delta	Date	Revisions	By

BUILDING SUMMARY

ADMIN / COMMONS	DSA # 01-117565 (2019)
MADRONE (E) CLASSROOMS	DSA # 01-117565 (2019)
BUILDING A (E) CLASSROOMS	DSA # 5984 DSA # 26295 (1965) DSA # 01-100264 (1987) DSA # 01-106287 (2004) DSA # 01-118811 (2020)
BUILDING LA (E) LIBRARY / CLASSROOMS	DSA # 24586 (1964) DSA # 01-100264 (1987) DSA # 01-103688 (2001) DSA # 01-105026 (2003) DSA # 01-10955 (2010) DSA # 01-116479 (2017)
BUILDING F (E) CLASSROOMS	DSA # 15996 (1957) DSA # 01-105833 (2004) DSA # 01-118811 (2020)
BUILDING G (E) CLASSROOMS	DSA # 2470 (1939) DSA # 21467 DSA # 24586 (1964) DSA # 01-100264 (1987) DSA # 01-103688 (2001) DSA # 01-105026 (2003) DSA # 01-118811 (2020)
BUILDING J (E) MUSIC / CLASSROOMS	DSA # 2469 (1939) DSA # 24586 (1964) DSA # 01-100264 (1987) DSA # 01-103688 (2001) DSA # 01-105026 (2003) DSA # 01-118811 (2020)
BUILDING P (E) GYMNASIUM	DSA # 15618 (1958) DSA # 01-103688 (2001) DSA # 01-105833 (2004) DSA # 01-112267 (2013) DSA # 01-118811 (2020)
BUILDING R (E) CLASSROOMS	DSA # 2432 (1939) DSA # 01-100264 (1987) DSA # 01-106287 (2004) DSA # 01-114363 (2014) DSA # 01-118811 (2020)
PORTABLES (E) CLASSROOMS	DSA # 01-114363 (2014) DSA # 01-115104 (2015)
PORTABLES (E) CLASSROOMS	DSA # 01-117538 (2018)
STADIUM	DSA # 01-115533 (2017)

KEYNOTES

02.05	EXISTING FIRE HYDRANT TO REMAIN
02.14	EXISTING BACKFLOW PREVENTER TO REMAIN
21.02	NEW FIRE DEPARTMENT CONNECTION (FDC), S.C.D.
21.03	NEW POST INDICATOR VALVE (PIV), S.C.D.
21.04	FIRE RISER, S.F.P.D. & S.C.D.
32.06	DECORATIVE PEDESTRIAN GATE WITH PANIC HARDWARE, SLD
32.08	DECORATIVE VEHICULAR GATES, SLD
32.09	DOUBLE CHAINLINK GATE, 3'-6" LEAVES WITH PANIC HARDWARE, SLD

LEGEND

	(E) BUILDING
	STEAM BUILDING
	(E) 20' WIDE FIRE LANE
	(N) 20' WIDE FIRE LANE
	LIMIT OF WORK LINE
	HOSE PULL DISTANCE FROM FIRE HYDRANT
	HOSE PULL DISTANCE FROM FIRE LANE
	ASSUMED PROPERTY LINE
	(E) FIRE HYDRANT
	PANIC HARDWARE

Contractor Parking
Contractor Fencing Line

SRHS PORTABLE REMOVAL PROJECT
Start Date: November 7th, 2022

ADSA 810
FIRE & LIFE SAFETY SITE CONDITIONS SUBMITTAL

Division of the State Architect (DSA) documents referenced within this publication are available on the DSA Forms or DSA Publications webpages.

To facilitate the Division of the State Architect's (DSA) fire and life safety plan review of project site conditions, DSA requires the design professional to provide the following information at time of project submittal for projects consisting of construction of a new campus, construction of new building(s), additions to existing buildings, and for site alternate design means for fire department emergency vehicle access, and fire suppression water supply. Information associated with compliance items 1 through 3 below is to be provided for all project types indicated above. Information associated with items 4 through 7 is to be completed when an alternate means is utilized. Acknowledgement by the school district and signature from the Local Fire Authority (LFA) is only required when an alternate design means is being requested.

The Project Information and Fire & Life Safety Information sections are to be completed for all projects and imaged onto the fire access site plan. When an alternate design/means is proposed, all sections on pages 1 and 2 are to be completed and imaged on the fire access site plan.

For additional information refer to the instructions at the end of this form and DSA Policy PL 09-01: Fire Flow for Buildings.

PROJECT INFORMATION		
School District/Owner:	San Rafael City Schools	
Project Name/School:	STEAM Building San Rafael High School	
Project Address:	150 3rd Street, San Rafael, CA 94901	
FIRE & LIFE SAFETY INFORMATION		
1. Has a fire hydrant flow test been performed within the past 12 months? (If yes, provide a copy of the test data.)	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
2. Was the fire hydrant water flow test performed as part of this LFA review?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
3. Is the project located within a designated fire hazard severity zone (FHSZ) as established by Cal-Fire? (If yes, indicate FHSZ classification below.)	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Refer to the following website for FHSZ locations: http://eais.fire.ca.gov/FHSZ/	Moderate <input type="checkbox"/>	High <input type="checkbox"/>
Wildland Interface Area (WIFA) (If any designations are checked, project design must meet the requirements of CBC Chapter 7A.)	Very High <input type="checkbox"/>	WIFA <input type="checkbox"/>

This document is the property of the Owner and is not to be used without his written permission.
Architect/Engineer Of Record:



HY HIBER YAMAUCHI Architects, Inc.
300 - 27th Street
Oakland, CA 94612
510.446.2222 tel | 510.446.2211 fax

HY Architects Project number: 5323
Facility: SAN RAFAEL HIGH SCHOOL
150 3RD STREET, SAN RAFAEL, CA 94901

Project: STEAM BUILDING

Sheet Title: FIRE LIFE SAFETY & CODE ANALYSIS SITE

Client Project Number: Client Proj. #
Scale: As indicated
Drawn By: EM
Checked By: LP
Issue Date: 02/16/2021
Revit Version: 2019

A0.03